




ADVANCED SURGICAL PRODUCT CATALOG



ACCESS

SMOKE

ENERGY

INSTRUMENTS

ACCESS

- AirSeal®** Intelligent Flow System
- AirSeal®** Tube Sets & Access Ports
- BluView™** Trocars (OUS Only)
- Insufflation Needles & Accessories**



ACCESS

SMOKE

ENERGY

INSTRUMENTS

AirSeal® Intelligent Flow System



AirSeal® iFS

AirSeal iFS, 120V	AS-iFS1
AirSeal iFS, 230V	AS-iFS2

iFS Bottle Gas Connector (Required for bottle gas)

Required Connector must be installed on the iFS (37° flare fitting)	iFS-BC1
---	---------

iFS House Gas Connector [Required for house (central) gas]

Required Connector must be installed on the iFS DISS Fitting	iFS-WC1
--	---------

AirSeal® iFS Carts

Cart w/ Bottle Rack, Holds Two "E" Size CO2 Tanks	AS-iCART
Cart w/ Bottle Rack, Holds Two "E" Size CO2 Tanks, Switching Valve and Hoses included	AS-iCART-V
Cart w/ Bottle Rack, Holds Two 6" (160mm) Bottle Gas Tanks	AS-iCART-6
Cart w/ Bottle Rack, Holds Two 6" (160mm) Bottle Gas Tanks, and Switching Valve	AS-iCART-6V

iFS Valve

Switching Valve, (2) Yoke Pin Index with 18" Supply Hoses, (1) 36" Connection Hose, (1) 90° Swivel, (1) Mounting Bracket	iFS-Valve1
--	------------

iFS Tower

(1) Yoke Pin Index mounted Switching Valve, (1) Yoke Pin Index with 18" Supply Hose and (1) 36" Connection Hose, (1) 90° Swivel	iFS-Tower1
Add-on: 120" High Pressure Hose to "E" Size CO2 Tanks	iFS-HPH120

iFS High Pressure Hoses for Bottle Gas

36" High Pressure Hose with a Pin Index Yoke to connect to "E" Size CO2 Tanks with a Pin Index Cylinder Valve	iFS-HPH4
1.5m High Pressure Hose with a Pin Index Yoke to connect to "E" Size CO2 Tanks with a DIN Bottle Gas Tanks	iFS-HPH2
1.5m High Pressure Hose with a Pin Index Yoke to connect to "E" Size CO2 Tanks with an ISO Bottle Gas Tanks	iFS-HPH3

iFS Low Pressure Hoses for House (Central) Gas US

36" Low Pressure Hose to connect to a DISS Wall Connection and iFS-WC1 Connector	SGQ-584CE
180" Low Pressure Hose to connect to a DISS Wall Connection and iFS-WC1 Connector	SGQ-582CE
240" Low Pressure Hose to connect to a DISS Wall Connection and iFS-WC1 Connector	SGQ-583CE
390" Low Pressure Hose to connect to a DISS Wall Connection and iFS-WC1 Connector	SGQ-585CE



ACCESS

SMOKE

ENERGY

INSTRUMENTS

AirSeal® Tube Sets & Access Ports




AirSeal® Filtered Tube Sets

For use with iFS AirSeal Mode Tri-Lumen Filtered Tube Set, 6/Box	ASM-EVAC1
For use with AirSeal Robotic Solution Bifurcated Filtered Tube Set, 6/Box	ASM-EVAC1-Bi
For use with iFS Smoke Evacuation Mode Bifurcated Smoke Evac Filtered Tube Set, 6/Box	SEM-EVAC
For use with iFS Standard Insufflation Mode, Single Lumen Filtered Tube Set, 10/Box	SIM-TUB

AirSeal® Access Ports

8mm Cannula Cap and Obturator, Bladeless Optical Tip, Standard Length, 6/Box	iAS8-dV
8mm Cannula Cap and Obturator, Bladeless Optical Tip, Long, 6/Box	iAS8-dVL
5mm Access Port and Low Profile Obturator with Bladeless Optical Tip, 75mm Length, 6/Box	iAS5-75LP
5mm Access Port and Low Profile Obturator with Bladeless Optical Tip, 100mm Length, 6/Box	iAS5-100LP
5mm Access Port and Low Profile Obturator with Bladeless Optical Tip, 120mm Length, 6/Box	iAS5-120LP
5mm Smooth Access Port with Blunt Tip, 150mm Length (for use with single site surgical platforms), 6/Box	iASB5-150
8mm Access Port and Low Profile Obturator, with Bladeless Optical Tip, 100mm Length, 6/Box	iAS8-100LP
8mm Access Port and Low Profile Obturator, with Bladeless Optical Tip, 120mm Length, 6/Box	iAS8-120LP
12mm Access Port and Palm Grip Obturator, with Bladeless Optical Tip, 100mm Length, 6/Box	iAS12-100LPi
12mm Access Port and Obturator, with Blunt Tip, 100mm Length, 6/Box	iASB12-100
12mm Access Port and Palm Grip Obturator, with Bladeless Optical Tip, 120mm Length, 6/Box	iAS12-120LPi
12mm Access Port and Obturator, with Blunt Tip, 120mm Length, 6/Box	iASB12-120
12mm Access Port and Palm Grip Obturator, with Bladeless Optical Tip, 150mm Length, 6/Box	iAS12-150LPi



ACCESS

SMOKE

ENERGY

INSTRUMENTS

BluView™ Trocars (OUS Only)



Optical Trocars

5mm Trocar & Cannula, 70mm Length	BV-5X70
5mm Trocar & Cannula, 100mm Length	BV-5X100
5mm Obturator & Cannula, 150mm Length	BV-5X150
11mm Obturator & Cannula, 70mm Length	BV-11X70
11mm Trocar & Cannula, 100mm Length	BV-11X100
11mm Obturator & Cannula, 150mm Length	BV-11X150
12mm Obturator & Cannula, 70mm Length	BV-12X70
12mm Trocar & Cannula, 100mm Length	BV-12X100
12mm Obturator & Cannula, 150mm Length	BV-12X150

Bladeless Trocars

15mm Obturator & Cannula, 100mm Length	BV-15X100BLS
--	--------------

Bladed Trocars

5mm Trocar & Cannula, 70mm Length	BV-5X70-BLD
5mm Trocar & Cannula, 100mm Length	BV-5X100-BLD
5mm Obturator & Cannula, 150mm Length	BV-5X150-BLD
11mm Trocar & Cannula, 100mm Length	BV-11X100-BLD
11mm Obturator & Cannula, 150mm Length	BV-11X150-BLD
12mm Obturator & Cannula, 70mm Length	BV-12X70-BLD
12mm Trocar & Cannula, 100mm Length	BV-12X100-BLD
12mm Obturator & Cannula, 150mm Length	BV-12X150-BLD
15mm Obturator & Cannula, 100mm Length	BV-15X100-BLD

Blunt Tip Trocars

11mm Trocar & Cannula, 100mm Length	BV-11X100-HSS
12mm Trocar & Cannula, 100mm Length	BV-12X100-HSS

Universal Cannulas (Optical or Bladed Obturators)

5mm Cannula, 70mm Length	BV-5X70-CAN
5mm Cannula, 100mm Length	BV-5X100-CAN
11mm Cannula, 70mm Length	BV-11X70-CAN
11mm Cannula, 100mm Length	BV-11X100-CAN
11mm Cannula, 150mm Length	BV-11X150-CAN
12mm Cannula, 70mm Length	BV-12X70-CAN
12mm Cannula, 100mm Length	BV-12X100-CAN
12mm Cannula, 150mm Length	BV-12X150-CAN



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Insufflation Needles & Accessories



Disposable Insufflation Needles & Tubing/Filter Set Systems

LaparoLight™ Veress Needle, 12cm (120mm), 12/cs	LLVN12012
LaparoLight™ Veress Needle, 15cm (150mm), 12/cs	LLVN15012
Insufflation Tubing (10' length) and 0.1 micron hydrophobic filter assembly with suction type connector, 10/cs	60-6050-097
Insufflation Tubing (10' length) and 0.1 micron hydrophobic filter assembly with "O" ring connector, 10/cs	60-6050-098
Insufflation Tubing (10' length) and 0.1 micron hydrophobic filter assembly with luer lock connector, 10/cs	60-6050-099

Veress Needle


Pneumoperitoneum Insufflation Needle 14 gauge, 12cm with stainless steel tip guard and band indicator, 10/case	60-6050-001
Pneumoperitoneum Insufflation Needle 1 4 gauge, 15cm, with stainless steel tip guard and band indicator, 10/case	60-6050-002

AirSeal iFS Miscellaneous Parts & Accessories

iFS Fuse, 10 Amp	iFS-Fuse
iFS Connector O-Ring	iFS-ORING
Pin Index Yoke Seal, 10 Pack	iFS-SEAL
Connector for High Pressure Gas Hose	iFS-CON1
Upper Gas Bottle Assembly for use on -2R Carts	SQ-22213
Switching Valve for Low Pressure House Gas	iFS-HGSV
160mm Bottle Rack Base for use on -6 Carts	SQ-85601038
Pin Index Yoke JIC Male	SGQ-545
Pin Index Yoke 1/4 NFT Male	SCG-547
Valve Bracket for use on -V Carts and -2R Carts	iCART-BRACKET



LLVN12012



60-6050-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS



SMOKE

Surgical Smoke Evacuators

PlumePen® Smoke Evacuation Pencils

GoldVac® Smoke Evacuation Pencils

Pencil Adapters

Tubing

Tubing Adapters

Laparoscopic Solutions

Filters – For CONMED Devices

Filters – For Wall & Portable Suction Systems

Filters – For Competitive Replacement

Accessories



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Surgical Smoke Evacuators



VC120



VisiClear®

100/120 Volt Systems	VC120
220/240 Volt Systems (includes one filter and one footswitch)	VC220
100/120 Volt Systems	VC120NF
ViroSafe® VisiClear® Filter	VS135 Series

W120



ViroVac®

100/120 Volt Systems	W120
220/240 Volt Systems (includes one filter and one footswitch)	VV220
220/240 Volt Systems (includes one filter and one footswitch)	VV220NF
ViroSafe® ViroVac® Filter	VS353 Series

60-8585-120



ClearView™

100/120V	60-8585-120
220/240V	60-8585-230

Accessories

Replacement Filter, 2/case	60-8590-001
Activation Device	60-8597-001
CONMED Fluid Trap, 10/pkg	60-8596-001

PPS604



Porta PlumeSafe® 604

100/120 Volt 50/60 Hz	PPS604
-----------------------	--------

PlumeSafe® Turbo

100/120 Volt 50/60 Hz	PSWTURBO_AS
220/240 Volt 50/60 Hz	PSWTURBO_AS/220

PSWTURBO_AS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

PlumePen® Smoke Evacuation Pencils



PLP1020



PLPUL2020



PLPRO4020



PROTIP620

PROTIP420

PlumePen® Elite

Push Button, 1" Stainless Steel Blade	
Electrode, 10' tubing, Disposable, 20/case	PLP1020
Push Button, 1" Non-Stick Blade	
Electrode, 10' tubing, Disposable, 20/case	PLP2020
Push Button, 1" Non-Stick Blade	
Electrode, 15' tubing, Disposable, 20/case	PLP2520

PlumePen® Ultra

Push Button, 1" Non-Stick Blade	
Electrode, 10' tubing, Disposable, 20/case	PLPUL2020
Push Button, 1" Non-Stick Blade Electrode,	
15' tubing, Disposable, 20/case	PLPUL2520

PlumePen® Pro

Push Button, 1" Non-Stick Blade	
Electrode, 10' tubing, Disposable, 20/case	PLPRO4020
Push Button, 1" Non-Stick Blade	
Electrode, 15' tubing, Disposable, 20/case	PLPRO4520

Capture Ports (X-Ray Detectable)

Fits 4" (102 mm) electrodes, 20/case	PROTIP420
Fits 6" (152 mm) electrodes, 20/case	PROTIP620

GoldVac® Smoke Evacuation Pencils



60-7610-001



60-7510-005



60-7524-001



60-7526-001



60-7521-001



60-7522-001



60-7523-001

GoldVac® Slim

Push Button, 1" UltraClean Blade Electrode, 10', Disposable, 20/case	60-7610-001
Push Button, 1" UltraClean Blade Electrode, 15', Disposable, 20/case	60-7670-001

GoldVac®

Push Button, 1" UltraClean Blade Electrode, 10' Tubing, Disposable, 10/case	60-7510-005
Rocker Switch, 1" UltraClean Blade Electrode, 10' Tubing, Disposable, 10/case	60-7520-005
Foot Control, 1" UltraClean Blade Electrode, 10' Tubing, Disposable, 10/case	60-7530-005
Push Button, 1" UltraClean Blade Electrode, 15' Tubing, Disposable, 10/case	60-7570-005
Rocker Switch, 1" UltraClean Blade Electrode, 15' Tubing, Disposable, 10/case	60-7580-005

GoldVac® UltraClean Electrodes

4" GoldVac UltraClean Blade, 25/case	60-7524-001
6" GoldVac UltraClean Blade, 25/case	60-7526-001
1" GoldVac UltraClean Blade with Extended Insulation, 25/case	60-7521-001
4" GoldVac UltraClean Blade with Extended Insulation, 25/case	60-7522-001
6" GoldVac UltraClean Blade with Extended Insulation, 25/case	60-7523-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Surgical Smoke Pencil Adapters



SnapEvac20

SnapEvac[®]

10 ft (3 m) tubing with a 7/8 in (22 mm) cuff,
20/case

SnapEvac20



60-6828-005A

ClearVac[®]

GoldLine Push Button, 4' of 10mm Tubing
and 6' of 22mm Tubing, UltraClean Blade
Electrode, Holster, Single Use, Sterile, 10/case

60-6828-005A

GoldLine Rocker Switch, 4' of 10mm Tubing
and 6' of 22mm Tubing, UltraClean Blade
Electrode, Holster, Single Use, Sterile, 10/case

60-6829-005A



PA2010

PenAdapt[®]

3/8" (9.5 mm) x 4' (1.22 m) tubing with an
adapter to 7/8" (22 mm) x 6' (1.8 m) tube,
10/case

PA2010




ACCESS

SMOKE


ENERGY

INSTRUMENTS


Smoke Evacuation Tubing



VT38S1010



VT10424



VT10206


3/8" (9.5 mm) Tubing	
Sterile, 10' (3.0 m) 10/case	VT38S1010

7/8" (22 mm) Tubing	
Sterile	
6' (1.8 m) 24/case	VT10424
10' (3.0 m) 24/case	VT10624
Non-Sterile	
6' (1.8 m) with (12) 7/8" tubing-to-tubing connectors (extension tubing) 24/case	VT10324
10' (3.0 m) 24/case	VT10524
6' (1.8 m) 6/case	VT78-6

1-1/4" (32 mm) Tubing	
Sterile	
6' (1.8 m) 6/case	VT10206
Non-Sterile	
10' (3.0 m) 6/case	VT10306

MORE OPTIONS


Smoke Evacuation Tubing




VTESU05



VTWT424



VTWT206



VTWT505

Speculum Tubing

Sterile, 7/8" (22 mm) x 6' (1.8 m) with 7/8" (22 mm) to 1/4" (6.4 mm) reducer to 1/4" (6.4 mm) x 2' (.6 m) tubing (5/case)	VTESU05
Non-Sterile, 7/8" (22 mm) x 6' (1.8 m) with 7/8" (22 mm) to 1/4" (6.4 mm) reducer to 1/4" (6.4 mm) x 2' (.6 m) tubing (5/case)	PSFTS05
LEEP Tubing Set, 10' (3.05m), Non-Sterile	60-6815-001

7/8" (22 mm) Tubing w/ 8" (20cm) Wand & Sponge Guard

Sterile	
6' (1.8 m) tubing (24/case)	VTWT424
Hand-held Smoke Evacuation Tubing (5/case, 1/pkg) 6' (1.8m), 7/8" diameter, Single Use	60-6805-001
10' (3.0 m) tubing (24/case)	VTWT624
14' (4.3 m) tubing (5/case)	VTWT805

1-1/4" (32 mm) Tubing w/ 8" (20cm) Wand & Sponge Guard

Sterile, 6' (1.8 m) tubing (24/case)	VTWT206
--------------------------------------	---------

1-3/8" (35 mm) Tubing w/ 8" (20cm) Wand & Sponge Guard

Sterile, 6' (1.8 m) (5/case)	VTWT505
------------------------------	---------

Smoke Evacuation Tubing Adapters



RF10210



7/8 in (22 mm) Tubing w/ Adapters

Sterile, 7/8" (22 mm) to 1/4" (6.4 mm) reducer fitting with 2' (.6 m) x 1/4" (6.4 mm) tubing (10/case)	RF10210
Non-Sterile, 7/8" (22 mm) to 1/4" (6.4 mm) reducer fitting with 2' (.6 m) x 1/4" (6.4 mm) tubing (10/case)	PSFTS05

RF10112



Reducer Fittings/Adapters (Non-Sterile)

7/8" (22 mm) to 1/4" (6.4 mm) reducer fitting (12/case)	RF10112
7/8" to 1/4" reducer adapter (12/case)	60-6840-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Laparoscopic Solutions



PP010CS



PlumePort® Activ®	
10/case	PP010CS

PP012SEO



PlumePort® SEO	
12/case	PP012SEO

PP010



PlumePort®	
10/case	PP010

BLAP100



PlumePort® SE	
12/case	BLAP100

Laparoscopic Tubing	
Laparoscopic Smoke Evacuation Tubing Set (5/case, 1/pkg) 10' (3.05m), 1/4" diameter w/ luer lock, Single Use; Sterile	
	60-6810-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Filters

VS135



VS353



VS06002



ViroSafe® VisiClear® - 3-port filter

Designed to fit VisiClear®

1/4" (6.4 mm), 3/8" (9.5 mm) and 7/8" (22 mm), 1/case	VS135
1/4" (6.4 mm), 3/8" (9.5 mm) and 7/8" (22 mm), 2/case	VS1352
1/4" (6.4 mm), 3/8" (9.5 mm) and 7/8" (22 mm), 4/case	VS1354

ViroSafe® ViroVac® - 3-port Filter

Designed to fit ViroVac®

1/4" (6.4 mm), 3/8" (9.5 mm) and 7/8" (22 mm), 1/case	VS353
1/4" (6.4 mm), 3/8" (9.5 mm) and 7/8" (22 mm), 2/case	VS35302
1/4" (6.4 mm), 3/8" (9.5 mm) and 7/8" (22 mm), 4/case	VS35304

ViroSafe® 6 Filter - Dual male ports

Designed to fit PlumeSafe® Turbo; Porta PlumeSafe® 604

7/8" (22 mm) and 1-1/4" (32 mm), 2/case	VS06002
7/8" (22 mm) and 1-1/4" (32 mm), 4/case	VS06004

ViroSafe® Extra Long Life Filter - Twin male ports

Designed to fit PlumeSafe® Turbo; Porta PlumeSafe® 604

7/8" (22 mm), 2/case	VSXLLT02
----------------------	----------

ViroSafe® Veterinary Filter - Dual male ports

Designed to fit PlumeSafe® Turbo; Porta PlumeSafe® 604

7/8" (22 mm) and 1-1/4" (32 mm), 1/case	VSVET01
---	---------

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Filters



VSEY1-4

ViroSafe® 6 Odor/Hair Removal Filter - Dual male ports

Designed to fit PlumeSafe® Turbo; Porta PlumeSafe® 604

7/8" (22 mm) and 1-1/4" (32 mm), 1/case VSOH001

ViroSafe® EY Filter

Designed to fit Erbium: Yag laser applications

1-3/8" (35 mm) male port at each end—one to attach to the 1-1/4" (32 mm) opening on the Main Erbium: YAG filter and another to attach to a 1-3/8" (35 mm) tubing set, (1 Main Filter, 4 Pre-filters) VSEY1-4



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Filters (For Wall & Portable Suction Systems)



BILF150 Multi-Use In-Line Filter	
ULPA rated media, 0.1 to 0.2 micron	
10/case	BILF150

BILF200 Multi-Use In-Line Filter	
ULPA rated media, 0.1 to 0.2 micron	
10/case	BILF200

AER Defense FilterOne ULPA Rated	
2/case, 1/pkg	60-8084-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Filters (For Competitive Replacement)



Stryker Neptune 2 and Neptune 3 - 3-port Filter

Designed to fit Stryker Neptune 2 and Stryker Neptune 3

1/4" (6.4 mm), 3/8" (9.5 mm)
and 7/8" (22 mm), 4/case

VSNEP04



Berchtold Phoenix XS or X3 Filter

Replaces Berchtold TELEVAC XS/X3

7/8" (22 mm) port, 4/case

BTLDXS04



StrykeVac 3 ViroSafe® Filter - 3-port Filter

Designed to fit StrykeVac 3 Smoke Evacuation System

1/4" (6.4 mm), 3/8" (9.5 mm)
and 7/8" (22 mm), 1/case

VSSV301

1/4" (6.4 mm), 3/8" (9.5 mm)
and 7/8" (22 mm), 4/case

VSSV304



Trumpf ViroSafe® Filter - 3-port Filter

Designed to fit TRUMPF EasyVac

1/4" (6.4 mm), 3/8" (9.5 mm)
and 7/8" (22 mm), 4/case

VSTR0804



Valleylab Optimumm Pre-filters

Replaces Surgimedics 901202; Valleylab E3630

1-3/8" (35 mm) port pre-filter

BSPF030



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Accessories



EZLink®

1/case

EZLINK01

Pneumatic Footswitch

Designed to work with CONMED surgical smoke evacuators

10' length (3.0 m), 1/case

FS10004

ViroSafe® Fluid Trap

Fits 7/8" (22 mm) port of Buffalo Filter ViroSafe Filters

7/8" (22 mm) and 1/4" (6.4 mm) tubing
connection ports, 10/case

VSFT10

Direct Connect Cables

CONMED Electrosurgical Units (certain
models only) and Smoke Evacuators, 1/case

DCCM01

Covidien Electrosurgical Units (certain models
only) and CONMED Smoke Evacuators, 1/case

DCCOV01

Y Adapter

7/8" (22 mm), 1/case

ADP22X22Y

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Accessories



LaseAdapt® Hand Piece Adapter Clips

Designed for the Sciton® Contour TRL™ Erbium Scanner and ProFractional Therapy™ Laser Systems

4/case LA3010CL4



Armstand

10" (25.4 cm) x 10" (25.4 cm) x 34" (86.4 cm), 1/each ARMSTAND



EvacuCart™

15" (38.1 cm) x 17.5" (44.5 cm) x 32" (81.3 cm), 1/each ETC01



ViroVac® Wall Mount Kit

Designed for ViroVac® surgical smoke evacuator

1/each VVWM01

Smoke Accessories Basket

System 5000 Mobile Pedestal Saddlebag Lower Basket for use with the AER Defense and System 1200 Smoke Evacuator Units

1/each 60-8041-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS



ENERGY

 **HelixAR™ System**

 **ABC® Handpieces, Laparoscopic, and Dissecting Probes**

 **Dispersive Electrodes**

 **System 5000™**

 **System 2450™**

 **Electrosurgical Pencils**

 **Active Electrodes**

 **Dispersive Electrodes**

 **Electrosurgical Forceps**

 **Electrosurgical Cables & Adapters**

 **Laparoscopic Electrodes & Accessory Cables**



ACCESS

SMOKE

ENERGY

INSTRUMENTS

HelixAR™ System



60-8480-001



60-8849-001

HelixAR™ System

HelixAR System, ABC Generator and Cart	60-8800-SET
HelixAR System, ABC Generator and Cart, with Monopolar and Bipolar Footswitch	60-8800-SYS

Footswitches

ABC Single Pedal Footswitch, 15'	60-8475-001
ABC Single Pedal Footswitch, 30'	60-8470-001
HelixAR Wireless Footswitch Kit (Monopolar & ABC Footswitch, AA Batteries, Receiver/Antenna, Operator's Manual*)	60-8480-001
Monopolar Dual Pedal Footswitch, 15'	60-6700-001
Bipolar Single Footswitch, 15'	60-5103-002

Argon Gas Tanks

D Size with 33 Cubic Feet (934.46 liters) capacity 99.998% Pure Argon Gas included	136050
Empty D Size with 33 Cubic Feet (934.46 liters) capacity	136051

Stacking Adapter

Adapter allows System 5000 ESUs to be mounted to HelixAR on a Mobile Pedestal	60-8849-001
---	-------------



ACCESS

SMOKE

ENERGY

INSTRUMENTS

ABC® Laparoscopic Probes



Hand Control (Disposable)

Triple Option Hand Control Handpiece with 10' (3.05m) cord. Allows use of Monopolar Cut, Coagulation and ABC	130321
Single Function Hand Control Handpiece with 10' (3.05m) cord*	130344

Foot Control (Disposable)

45° Angled ABC Foot Control Handpiece with 10' (3.05m) cord*	130345
--	--------

Foot Control Laparoscopic Probes (Disposable)

Laparoscopic 10mm ABC Probe with 10' (3.05m) cord. 28cm working length*	130342
Laparoscopic 5mm ABC Probe with 10' (3.05m) cord. 28cm working length	160655

Hand Control Laparoscopic Probes (Disposable)

Laparoscopic 5mm ABC Probe with 10' (3.05m) cord. 28cm working length	160656
Laparoscopic 5mm ABC Probe with 10' (3.05m) cord. 36cm working length	160636
Laparoscopic 5mm ABC Probe with 10' (3.05m) cord. 44cm working length	160644

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

ABC® Dissecting Probes



ABC Dissecting Electrodes

ABC Dissecting Blade Electrode converts Argon Beam Coagulation to Argon Beam Dissect, 20/Case

139330

ABC Dissecting Blunt Needle Electrode converts Argon Beam Coagulation to Argon Beam Dissect, 20/Case

139331

Bend-A-Beam®

3" (7.6cm) Bend-a-Beam Single Function Malleable ABC Hand Control Handpiece with 10' (3.05m) Cord. Allows Use of Monopolar ABC Coagulation. Single Use, Sterile, 10/case

134003

6" (15.2cm) Bend-a-Beam Single Function Malleable ABC Hand Control Handpiece with 10' (3.05m) Cord. Allows Use of Monopolar ABC Coagulation. Single Use, Sterile 10/case

134006

9" (22.8cm) Bend-a-Beam Single Function Malleable ABC Hand Control Handpiece with 10' (3.05m) Cord. Allows Use of Monopolar ABC Coagulation. Single Use, Sterile 10/case

134009




ACCESS

SMOKE

ENERGY

INSTRUMENTS

Dispersive Electrodes



SureFit™



ThermoGard®

SureFit™ Dual Dispersive Electrodes

SureFit Dual Dispersive Electrode (for patients > 4.8 lbs.), Single use, Pre-attached 10' (3.05m) Cable, 100/case, 25/box	410-2000
SureFit Dual Dispersive Electrode (for patients > 4.8 lbs.), Single use, Pre-attached 15' (4.575m) Cable, 100/case, 25/box	410-2100
SureFit Dual Dispersive Electrode (for patients > 4.8 lbs.), Single use, without Cable, resealable, 5-pack pouch (use reusable cable # T229), 100/case, 5/pkg	410-2200

ThermoGard® Plus ABC Dispersive Electrodes

Adult Dual Dispersive Electrode (for patients >15 kg), Single use, Pre-attached 10' (3.05m) Cable, 40/case 1/pkg	7-382
Pediatric Dual Dispersive Electrode (for patients 5-15 kg), Single use, Pre-attached 10' (3.05m) Cable, 40/case 1/pkg	7-383
Adult Single Dispersive Electrode (for patients >15 kg), Single use, Pre-attached 10' (3.05m) Cable, 40/case 1/pkg	7-384

ThermoGard® Dispersive Electrodes

Adult Single Dispersive Electrode (for Patients >15 kg), Single Use, Pre-attached 10' (3.05m) Cable, 80/case 1/pkg	51-7810
Adult Dual Dispersive Electrode (for Patients >15 kg), Single Use, Pre-attached 10' (3.05m) Cable, 80/case 1/pkg	51-7310
Adult Dual Dispersive Electrode (for Patients >15 kg), Single use, without Cable (use cable T-229), 80/case 1/pkg	51-7410
Pediatric Dual Dispersive Electrode (for Patients 5-15 kg), Single use, Pre-attached 10' (3.05m) Cable, 80/case 1/pkg	51-7710

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Dispersive Electrodes



MacroLyte®

MacroLyte® Dispersive Electrodes

Adult Single Dispersive Electrode (for patients >15 kg), Single use, Pre-attached 10' (3.05m) Cable, 100/case, 25/box	410-2100
Adult Single Dispersive (for patients >15 kg) No Cable, 100/case 50/box 1/pkg	400-2349
Adult Single Dispersive Electrode (for patients >15 kg), Single use, without cable, resealable 5-pack pouch (use reusable cable # T229), 100/case, 20/box, 5/pkg	400-2700
Pediatric Single Dispersive Electrode (for patients 5-15 kg), Single use, Pre-attached 10' (3.05m) Cable, 100/case, 25/box	425-2200
Pediatric Dual Dispersive Electrode (for patients 5-15 kg), Single use, Pre-attached 10' (3.05m) Cable, 100/case, 25/box	425-2508
Premie Single Dispersive Electrode (for patients < 5 kg), Single use, Pre-attached 10' (3.05m) Cable, 40/case, 10/box	440-2400
Infant Single Dispersive Electrode (for patients 5-15 kg), Single use, Pre-attached 10' (3.05m) Cable, 60/case, 15/box	450-2300



ACCESS

SMOKE

ENERGY

INSTRUMENTS

System 5000™



60-8030-001



System 5000 ESU

System 5000 ESU, 120V	60-8005-001
System 5000 ESU, 100V - 240V (Symbols Front Panel)	60-8005-002
System 5000 ESU, 100V - 240V	60-8005-003
System 5000 – 120V ESU, Mobile Pedestal, Upper Storage Basket, Lower Storage Basket, Monopolar Footswitch, Bipolar Footswitch (English Front Panel)	60-8005-SYS
System 5000 – 100V to 240V ESU, Mobile Pedestal, Upper Storage Basket, Lower Storage Basket, Monopolar Footswitch, Bipolar Footswitch (Symbols Front Panel)	60-8015-SYS
System 5000 – 100V to 240V ESU, Mobile Pedestal, Upper Storage Basket, Lower Storage Basket, Monopolar Footswitch, Bipolar Footswitch (English Front Panel)	60-8018-SYS

Mobile Pedestal

Mobile Pedestal including Upper and Lower Storage Baskets	60-8040-001
--	-------------

Footswitches

Monopolar Footswitch with 15 ft. cable	60-6700-001
Bipolar Footswitch	60-5103-001

Basket

Saddlebag Lower Basket	60-8041-001
------------------------	-------------

Stacking Adapter

Adapter allows two System 5000 ESUs to be mounted on a Mobile Pedestal	60-8030-001
---	-------------

Manuals / CD

Operator's Manual, System 5000 ESU	60-8016-ENG
In-Service CD, System 5000 ESU	60-8026-001
In-Service DVD, System 5000 ESU	60-8026-DVD
Service Manual, System 5000 ESU	60-8017-ENG



ACCESS

SMOKE

ENERGY

INSTRUMENTS

System 2450™



System 2450 ESU

System 2450 ESU, 100V	60-2450-100
System 2450 ESU, 120V	60-2450-120
System 2450 ESU, 220V	60-2450-220
System 2450 ESU, 230-240V	60-2450-230
System 2450 Cart	60-7152-001

Footswitches

Monopolar Footswitch with 15 ft. cable	60-6700-001
Bipolar Footswitch	60-5103-001

Stacking Adapter

Stacking Adapter for System 2450	60-6963-001
----------------------------------	-------------

Manuals / CD

Operator's Manual, System 2450 ESU	60-2451-ENG
In-Service CD, System 2450 ESU	60-2453-001
Service Manual, System 2450 ESU	60-2454-ENG

Universal ESU Cart

Assembled Cart	60-5480-001
----------------	-------------



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Electrosurgical Pencils



GoldLine® Electrocautery Pencils

Push Button, Hand Switch Pencils

UltraClean® Blade, Holster, 10' Cable, 40/case	131309A
UltraClean® Blade, Holster, 15' Cable, 40/case	131326A
Standard Blade, Holster, 10' Cable, 40/case	130309A
Standard Blade, Holster, 15' Cable, 40/case	130326A
Standard Blade, Holster, Tip Cleaner, 10' Cable, 40/case	130303A
Needle Electrode, Holster, 10' Cable, 40/case	130302A
Extended Insulated Blade, Holster, 10' Cable, 40/case	138114A

Rocker Switch, Hand Switch Pencils

UltraClean® Blade, Holster, 10' Cable, 40/case	131307A
UltraClean® Blade, Holster, 15' Cable, 40/case	131327A
Standard Blade, Holster, 10' Cable, 40/case	130307A
Standard Blade, Holster, 15' Cable, 40/case	130327A
Standard Blade, Holster, Tip Cleaner, 10' Cable, 40/case	130304A
Needle Electrode, Holster, 10' Cable, 40/case	130301A
Ext. Blade 10' (3.05m) Cable, Holster 40/case 1/pkg	138115A

Foot Control Pencils

UltraClean® Blade, Holster, 10' Cable, 40/case	138650A
Needle Electrode, Holster, 15' Cable, 40/case	138652A
Blade Electrode, Holster, 10' Cable, 40/case	138659A

Tip Cleaner

Tip Cleaner, Single Use, Sterile, 40/case	138029
---	--------

MicroNeedles

3cm, 0° MicroNeedle, 10/case	138505-10
4cm, 0° MicroNeedle, 10/case	138506-10

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Electrosurgical Pencils



Reusable Hand Control Pencils

GoldLine® Push Button, 1" Blade Disposable, 50 use, 10' (3.05m) Cable, 10/case 1/pkg	130317
GoldLine® Push Button, 1" Blade Disposable, 50 use, 15' (4.57m) Cable, 10/case 1/pkg	130317-15
GoldLine® Rocker Switch, 1" Blade Disposable, 50 use, 10' (3.05m) Cable 10/case 1/pkg	130316
PowerPoint®, 1" Blade Reusable, 50 use, 15' (4.57m) Cable, 10/case 1/pkg	130384

Reusable Foot Control Pencils

Sold without electrode, 50 use, 10' (3.05m) Cable, 1 each	60-0815-001
---	-------------

Pencil Accessories

Reusable Safety Holster 10/case 1/pkg	60-0235-001
Disposable Safety Holster 40/case 1/pkg	137668

ValueBlue™ Electrosurgical Pencils

Push-Button Pencil, 1" Stainless Steel Blade, Sterile, 10/case 1/pkg	130402
Push-Button Pencil, 1" ValueBlue Coated Electrode, Sterile, 10/case 1/pkg	130403
Rocker-Switch Pencil, 1" Stainless Steel, Sterile, 10/case 1/pkg	130404
Rocker-Switch Pencil, 1" ValueBlue Coated Electrode, Sterile, 10/case 1/pkg	130405




ACCESS

SMOKE

ENERGY

INSTRUMENTS

Active Electrodes



Disposable Stainless Steel Needles

Needle Electrode w/ Hex Hub, 40/case 1/pkg	138102
Needle Electrode w/ Extended Insulation; Hex Hub, 40/case 1/pkg	138105
6" Needle Electrode w/ Hex Hub 40/case 1/pkg	138108
6" ENT Needle Electrode w/ Extended Insulation, 40/case 1/pkg	138025

Disposable Stainless Steel Balls

3/16" diameter, with Hex Hub, 40/case 1/pkg	138103
3mm diameter, 10cm shaft, 5/case 1/pkg	60-5181-102
5mm diameter, 10cm shaft, 5/case 1/pkg	60-5181-103

Disposable Loop Excision Electrodes

"T" Style, 12x8mm, 5/case 1/pkg	60-5180-101
"T" Style, 15x10mm, 5/case 1/pkg	60-5180-102
"T" Style, 20x10mm, 5/case 1/pkg	60-5180-104

Reusable Blades

Straight Blade Electrode, 1" (2.54cm) length; Hex Hub, 6/case 1/pkg	60-0869-001
---	-------------

Reusable Needle Electrode

Fine; Hex Hub, 6/case 1/pkg	60-0860-001
-----------------------------	-------------

Reusable Loops and Conization

Round Loop Electrode, 3/8" (0.95cm) diameter, 2" (5.08cm) length, 5/case 1/pkg	138010
Round Loop Electrode, 1/4" (0.64cm) diameter, 1 3/4" (4.45cm) length, 5/case 1/pkg	138011
Round Loop Electrode, 3/4" (1.91cm) diameter, 2.1" (5.33cm) length, 5/case 1/pkg	138012

MORE OPTIONS





ACCESS

SMOKE

ENERGY

INSTRUMENTS

Active Electrodes



Reusable Extender

Straight Electrode Extender, 5" (12.7cm) 5/case 1/pkg	138026
--	--------

Disposable UltraClean® Blades

1" UltraClean® Blade, 50/case 1/pkg	139100
1" UltraClean® Blade with Extended Insulation, 50/case 1/pkg	139104EXT
4" UltraClean® Blade, 50/case 1/pkg	139112
4" UltraClean® Blade with Extended Insulation, 50/case 1/pkg	139112EXT
6" UltraClean® Blade, 50/case 1/pkg	139107
6" UltraClean® Blade with Extended Insulation, 50/case 1/pkg	139110EXT
1" UltraClean® Blade for ABC® Triple Option Handpiece, 10/case 1/pkg	139321

Disposable Stainless Steel Blades

Heavy Flat Blade Electrode w/ Hex Hub, 40/case 1/pkg	138100
Standard Flat Blade Electrode w/ Hex Hub, 40/case 1/pkg	138101
Flat Blade Electrode with Extended Insulation; Hex Hub, 40/case 1/pkg	138104
6" Flat Blade Electrode with Hex Hub 40/case 1/pkg	138107
6" Flat Blade Electrode with Extended Insulation; Hex Hub, 40/case 1/pkg	138110
4" Flat Blade Electrode with Hex Hub 40/case 1/pkg	138112
3 1/2" Flat Blade Electrode with Hex Hub 40/case 1/pkg	138113

Disposable UltraClean® Needles

1" UltraClean® Needle, 50/case 1/pkg	139102
1" UltraClean® Needle with Extended Insulation, 50/case 1/pkg	139105EXT
6" UltraClean® Needle, 50/case 1/pkg	139108
6" UltraClean® Needle with Extended Insulation, 50/case 1/pkg	139025EXT



ACCESS

SMOKE


ENERGY

INSTRUMENTS

Dispersive Electrodes



60-0641-001



T228

Conductive Gel (for use with reusable dispersive electrodes)

ASPENGEL Conductive Gel, Nonstaining;
8.45 fluid ounce, 12/case 1/pkg 60-0641-001

Cables for Dispersive Electrodes

Cable for use with all ARM-equipped and
Valleylab REM-equipped generators.
10' (3.05m), 1/ea T229

Cable for use with all ARM-equipped and
Valleylab REM-equipped generators.
15' (4.57m), 1/ea T229-5M

Cable for use with single dispersive
electrodes and non-contact quality
monitoring generators; 10' (3.05m), 1/ea T228

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Dispersive Electrodes



Dispersive Electrode Adapters and Cables

Dispersive Electrode Adapter. For use with Valleylab generators without REM (single-foil only); Wallach Leep 100, 1/ea	B204
Dispersive Electrode Adapter. For use with all Aspen Labs; Birtcher 3000, 4400; Davol/Bard/Birtcher 5000 without PSS; Bicap 60, 200, 1/ea	B205
Dispersive Electrode Adapter. For use with Erbe and Elmed generators, 1/ea	B210
Dispersive Electrode Adapter. Allows CONMED ABC generators to use Valleylab dual-foil dispersive electrodes, 1/ea	A238
Dispersive Electrode Adapter. For use with Ritter Bovie Specialist, 1/ea	B227
Dispersive Electrode Adapter. For use with Olympus S-P cables retrofit with CONMED Adapter and CONMED Single Foil Dispersive electrodes, 1/ea	B260




ACCESS

SMOKE

ENERGY

INSTRUMENTS

Electrosurgical Forceps (Reusable, Non-Sterile)



Suction Coagulators

Foot Control, 10 French, 6" (15m), Monopolar, Single Use; Sterile 10' (3.0m) Cordset, 25/case	130187
Hand Control, 10 French, 6" (15cm), Monopolar, Single Use; Sterile 10' (3.0m) Cordset, 25/case	130188

Foot Control Bipolar Forceps – Bayonet

Scoville-Greenwood Bayonet, 7¾" (19.7cm) Length, 1.5mm Tip, Insulated	60-1765-001
Cushing Bayonet, Micro Tip, 7½" (19.1cm) Length, 0.7mm Tip, Insulated	60-1769-001
Hardy Bayonet, Micro Tip with Stops, 8¼" (21.0cm) Length, 0.5mm Tip, Non-Insulated	60-1770-001
Bayonet, Straight 20cm Length, 2.0mm Tip, Insulated	60-7400-001
Bayonet, Straight, 20cm Length, 1.0mm Tip, Insulated	60-7401-001

Foot Control Bipolar Forceps – Jewelers

Jewelers Micro Tip, Curved, 4" (10.2cm) Length, 0.4mm Tip, Insulated	60-1766-001
Jewelers Micro Tip, Straight, 4" (10.2cm) Length, 0.4mm Tip, Insulated	60-1767-001
Jewelers Micro Tip, Curved, 4" (10.2cm), 0.4mm Tip, Non-Insulated	136011
Jewelers, Straight, 11cm Length, 0.5mm Tip, Insulated	60-7403-001

Foot Control Bipolar Forceps – Semkin

Micro Tip with Stops, 5½" (14.0cm) Length, 0.7mm Tip, Non-Insulated	60-1771-001
Straight, 6" (15.2cm) Length, 1.5mm Tip, Insulated	60-1772-001

MORE OPTIONS



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Electrosurgical Forceps (Reusable, Non-Sterile)



Foot Control Bipolar Forceps – Adson

Straight, 5" (12.7cm) Length, 1.0mm Tip, Insulated	60-1768-001
Straight, 13cm Length, 1.0mm Tip, Insulated	60-7404-001

Foot Control Bipolar Forceps – Iris

Straight, 3½" (8.9cm) Length, 0.4mm Tip, Insulated	60-1773-001
Curved, 3½" (8.9cm) Length, 0.5mm Tip, Insulated	60-1774-001

Foot Control Bipolar Forceps – Straight

Cushing, Straight, 7" (17.8cm) Length, 1.5mm Tip, Not Insulated	136016
--	--------

Hand Control Bipolar Forceps

Scoville-Greenwood Bayonet, 7¾" (19.7cm) Length, 1.5mm Tip, Insulated	60-5121-001
Jewelers, Straight Tip 4" (10.2cm) Length, 0.4mm Tip, Insulated	60-5122-001
Semkin, Micro Tip, 5½" (14.0cm) Length, 0.7mm Tip, Insulated	60-5123-001

Foot Control Monopolar Forceps

Potts-Smith, Straight Tip with Cable, 7" (17.8cm) Length, 2.0mm Tip, Insulated	60-0821-001
---	-------------

Hand Control Monopolar Forceps

Bayonet, Straight Tip with Cable, 7½" (19.1cm), 2.0mm Tip, Insulated	60-0812-001
---	-------------



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Electrosurgical Cables & Adapters



60-0823-001



60-6790-001

Active Instrument Adapter – Monopolar

Adapter for foot control monopolar accessories; fits Bovie #12 type output sockets, 1/ea

60-0823-001

Universal Adapter for foot control monopolar accessories; fits Bovie #12 type output sockets, 1/ea

60-6790-001



133001



133002


Active Instrument Adapter – Bipolar

Coaxial Bipolar Adapter, for use with CONMED Excalibur Plus PC®, Sabre® 2400, Sabre® 180, System 7500® and 7550™, 1/ea

133001

Coaxial Bipolar Adapter, for use with CONMED System 2450™, System 5000™, and Valleylab electrosurgical units, 1/ea

133002



60-5168-001



60-5168-005

Disposable Cords

Disposable Monopolar Cord (Gray), .09375" (2.4mm) receptacle, 10' (3.05m) length, Single-use, Sterile, 1/pkg, 50/cs

60-5168-001

Disposable Monopolar Cord (Blue), .15625" (4mm) receptacle, 10' (3.05m) length, Single-use, Sterile, 1/pkg, 50/cs

60-5168-005

Disposable Bipolar Cord, 10' (3.05m) length, Single-use, Sterile, 1/pkg, 10/cs

60-5102-002

Disposable Bipolar Cord, 12' (3.66m) length, Single-use, Sterile, 1/pkg, 40/cs

135166



60-5102-002



135166

Reusable Cables

Monopolar, 4mm (.15625") pin receptacle, 10' (3.05m) length, Reusable, Non-sterile, 1/ea

60-5169-001



60-5169-001



60-0823-001

Footswitch Adapter

Standard adapter for foot-activated monopolar accessories, 1/ea

60-0823-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Laparoscopic Electrodes & Accessory Cables



Spatula



"L" Hook



Straight Blade



"J" Hook



Hook Blade

Disposable Laparoscopic Electrodes

Spatula

5mm x 32cm working length, 1/pkg, 5/cs	60-5159-001
5mm x 27cm working length, 1/pkg, 5/cs	60-5159-002
5mm x 32cm working length w/ 4mm pin, 1/pkg, 5/cs	60-5159-004

"L" Hook

5mm x 32cm working length, 1/pkg, 5/cs	60-5163-001
5mm x 27cm working length, 1/pkg, 5/cs	60-5163-002
5mm x 32cm working length w/ 4mm pin, 1/pkg, 5/cs	60-5163-004

Straight Blade

5mm x 32cm working length, 1/pkg, 5/cs	60-5160-001
5mm x 27cm working length, 1/pkg, 5/cs	60-5160-002

"J" Hook

5mm x 32cm working length, 1/pkg, 5/cs	60-5164-001
5mm x 27cm working length, 1/pkg, 5/cs	60-5164-002
5mm x 32cm working length w/ 4mm pin, 1/pkg, 5/cs	60-5164-004

Hook Blade

5mm x 32cm working length, 1/pkg, 5/cs	60-5162-001
--	-------------

Accessory Cables

Disposable Footswitching Bipolar Cable, 10' (3.05m)	60-6102-002
Reusable, Footswitching, Bipolar Forceps Cable, 12' (3.66m)	60-8046-001
Disposable Monopolar TUR/Endoscopic Cable for ACMI, 10' (3.05m)	60-2121-001
Reusable, Handswitching, Bipolar Cable, use with Bistat™ and System 7550, 12' (3.66m)	60-5130-001
Reusable, Handswitching, Bipolar Cable, use with System 2450 and System 5000, 12' (3.66m)	60-5132-001
Reusable, Footswitching, Monopolar Forceps Cable with threaded male connector, 10' (3.05m)	60-0824-001
Reusable Footswitching Bipolar Forceps Cable, 10' (3.05m) use with Wolf Kleppinger forceps Twin banana plug machine connectors	QI-2301
Reusable Monopolar TUR Cable with Standard (Bovie #12) Plug	60-0816-001



ACCESS

SMOKE

ENERGY

INSTRUMENTS



INSTRUMENTS

LaparoVue® Visibility System

DetachaTip® Laparoscopic Instruments

Disposable Scissors

VCare® Plus Uterine Manipulators

Core™ Suction / Irrigation

Universal Plus® Suction / Irrigation

Irrigation Pumps

Reflex® Series Skin Staplers

Anchor* Specimen Bags

CONMED Specimen Bags

Specialty Products



ACCESS

SMOKE

ENERGY

INSTRUMENTS

LaproVue® Visibility System



LAPVUE10

LaproVue®

LaproVue Visibility System, 10/box

LAPVUE10

VueTip™ Trocar Swab Accessory Kit, 10/box

VUETIP10



VUETIP10



ACCESS

SMOKE

ENERGY

INSTRUMENTS

DetachaTip® Laparoscopic Instruments



Fenestrated
(Duckbill)
2-1008, 2-4307



Allis
2-1019, 2-4319



Endoweave™
2-1028, 2-4328



Babcock
2-1005, 2-4305, 2-1014



Curved (Maryland)
2-1009, 2-4308



Tapered (Dolphin)
2-1018, 2-4318

DetachaTip II Multi-Use Scissors – Sterile

Curved Metzenbaum, 5mm x 33cm length, 1/box	2-1003
Curved Metzenbaum, 5mm x 43cm length, 1/box	2-4301
Curved Mini-Metzenbaum, 5mm x 33cm length, 1/box	2-1004
Scissor Hook, 5mm x 33cm length, 1/box	2-1013

DetachaTip II Multi-Use Graspers - Sterile

Fenestrated (Duckbill), 5mm x 33cm length, 1/box	2-1008
Fenestrated (Duckbill), 5mm x 43cm length, 1/box	2-4307
Allis, 5mm x 33cm length, 1/box	2-1019
Allis, 5mm x 43cm length, 1/box	2-4319
Endoweave™, 5mm x 33cm length, 1/box	2-1028
Endoweave™, 5mm x 43cm length, 1/box	2-4328
Babcock, 5mm x 33cm length, 1/box	2-1005
Babcock, 5mm x 43cm length, 1/box	2-4305
Babcock, 10mm x 33cm length, 1/box	2-1014

DetachaTip II Multi-Use Dissectors - Sterile

Curved (Maryland), 5mm x 33cm length, 1/box	2-1009
Curved (Maryland), 5mm x 43cm length, 1/box	2-4308
Tapered, 5mm x 33cm length, 1/box	2-1018
Tapered, 5mm x 43cm length, 1/box	2-4318

DetachaTip II Multi-Use Handles

Standard Handle with ratchet, Non-Sterile, 1/box	1-1010
--	--------



ACCESS

SMOKE

ENERGY

INSTRUMENTS


Disposable Scissors



1411



1412



1221



1222

Laparoscopic Disposable Scissors

Reflex® Short Curved, 5mm x 32cm length, (cord not included), 1/pkg, 6/cs	1411
Reflex® Long Curved, 5mm x 32cm length, (cord not included), 1/pkg, 6/cs	1412
Short Curved Mini Metz, 5mm x 33cm length, (cord not included), 1/pkg, 10/cs	1221
Long Curved Metz Scissors, 5mm x 33cm length, (cord not included), 1/pkg, 10/cs	1222



ACCESS

SMOKE

ENERGY

INSTRUMENTS

VCare® Uterine Manipulators



VCare Plus



VCare DX Plus

VCare Plus

Small (32mm), Cervical Cup, 8/cs	60-6085-200A
Medium (34mm), Cervical Cup, 8/cs	60-6085-201A
Large (37mm), Cervical Cup, 8/cs	60-6085-202A
X-Large (40mm), Cervical Cup, 8/cs	60-6085-203A

VCare DX Plus

VCare DX Plus Manipulator, 8/cs	60-6080-000A
---------------------------------	--------------



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Core™ Suction / Irrigation



CD856



CD860




CD849



CD871




CD872




CD8300



CD8185



CD8302



CD8190



CD8450



CD8400

Suction Probes (Reusable)

10mm x 32cm with Holes	CD856
5mm x 32cm with Holes	CD860
5mm x 45cm with Holes	CD849
3mm Laser Fiber Adapter	CD852

Optional Electrodes (Reusable with integrated suction probe)

5mm x 32cm Spatula	CD871
5mm x 32cm L-Hook	CD872
5mm x 32cm Probe Sheath	CD874

Handpieces (Disposable)

Single bag, 10/box	CD8300
Single bag, 5mm, 32cm probe, 10/box	CD8185
Dual or Single bag, 10/box	CD8302
Dual or Single bag, 5mm, 32cm probe, 10/box	CD8190
Handpiece only, 20/box	CD8450
Handpiece with 5mm, 32cm probe, 20/box	CD8400



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Universal Plus® Suction / Irrigation



Pistol Grip



Straight Handle



Pistol Grip

Foot Control E/S, Hand Control S/I, w/10' HiFlo tubing, irrig. bag spike and universal cord, 10/cs	60-6010-000
Hand Control E/S (Buttons), w/10' HiFlo tubing, irrig. bag spike, 10/cs	60-6010-002
Hand Control S/I, w/10' HiFlo Tubing, irrig. "Y" Connector for dual or single bags, bag spike, 10/cs	60-6020-100

Straight Handle

Hand Control S/I, w/10' HiFlo tubing, irrig. bag spike and universal cord, 10/cs	60-6010-001
Hand Control E/S (Buttons) and S/I, w/10' HiFlo tubing and irrig. bag spike, 10/cs	60-6010-003
Hand Control E/S (Rocker switch) and S/I, w/10' HiFlo tubing and irrig. bag spike, 10/cs	60-6010-005
Hand Control S/I, w/10' HiFlo Tubing, irrig. "Y" Connector for dual or single bag, bag spike, 10/cs	60-6020-115

5mm Electrosurgery Electrodes w/ Suction/Irrigation Stealth Eschar Resistant Coating

J-Hook with non-stick coating	
32cm	60-5274-232
44cm	60-5274-244
L-Hook with non-stick coating	
27cm	60-5274-127
32cm	60-5274-132
44cm	60-5274-144
Spatula with non-stick coating	
27cm	60-5274-027
32cm	60-5274-032
44cm	60-5274-044
Needle with non-stick coating	
32cm	60-5274-932

MORE OPTIONS




ACCESS

SMOKE

ENERGY

INSTRUMENTS

Universal Plus® Suction / Irrigation



60-6005-505

5mm Electrosurgery Electrodes w/ Suction/Irrigation

J-Hook

32cm	60-5272-232
------	-------------

L-Hook

27cm	60-5272-127
------	-------------

32cm	60-5272-132
------	-------------

Spatula

27cm	60-5272-027
------	-------------

32cm	60-5272-032
------	-------------

Needle with non-stick coating

32cm	60-5274-932
------	-------------

Interchangeable Reusable Stainless Steel Suction/Irrigation Cannulas

5mm sump cannula with side holes, 32cm, 1/ea	60-6002-302
--	-------------

5mm sump cannula with side holes, 44cm, 1/ea	60-6002-309
--	-------------

Interchangeable Disposable Stainless Steel Suction/Irrigation Cannulas – Single Use

10mm Sump Cannula with side holes, 32cm	60-6001-110
---	-------------

5mm Sump Cannula w/ side holes, 32cm	60-6001-203
--------------------------------------	-------------

5mm Sump Cannula w/ side holes, 44cm	60-6001-205
--------------------------------------	-------------

FloVac®

FloVac with Universal Connector, Dual or Single bag, 10/cs	60-6005-500
--	-------------

FloVac with 5mm x 32cm Cannula, Dual or Single bag, 10/cs	60-6005-505
---	-------------



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Irrigation Pumps



270178



270123



270165



270179

Pressure Infuser Irrigation Pumps

1-Liter Pressure Infuser Irrigation Pump Takes standard irrigation bag, 500 – 1000ml	270178
Dual 1-Liter Pressure Infuser Irrigation Pump, Takes two bags, 500 – 1000ml, great for irrigators with dual spikes	270123
3-Liter Pressure Infuser Irrigation Pump Most versatile, takes single bag, 500 – 3000ml, Also can take 2 bags, 500 – 1000ml	270165
Power Pack, Infuser Pump Compressor AC powered air compressor for 270178, 270123, and 270165 Infuser Irrigation Pumps	270179

Gas Source Quick Connect Couplers

Ohmeda, Air	CD984A
Puritan-Bennett, Oxygen	CD989



CD984A



CD989



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Reflex® Series Skin Staplers



8535



8735



3031

Reflex® One Skin Staplers

35 Wide, 6/box	8535
35 Wide, 50/box	853590
35 Regular, 6/box	8035
35 Regular, 50/box	803590
INTL 35 Wide, 6/case	3036
INTL 35 Regular, 6/case	3036R

Reflex® TL Tissue Lift Skin Stapler

35 Wide, 6/box	8735
35 Wide, Non-Sterile, 50/box	873590
35 Regular, 6/box	8635
INTL 35 Wide, 6/case	3013
INTL 35 Regular, 6/case	3013R

Reflex® Extractor

Wide / Regular, 12/box	3031
------------------------	------

Reflex® RHS Rotating Head Skin Stapler

Wide, Sterile, 1/pkg, 6/cs	8935
----------------------------	------



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Anchor* Laparoscopic Specimen Bags



Anchor* Tissue Retrieval System

8mm, 2.0" (5.1cm) diameter, 5.5" (14.0cm) bag length, 125ml vol., 5/cs	TRS-ROBO-8
8mm, 2.2" (5.6cm) diameter, 5.5" (14.0cm) bag length, 175ml vol., 5/cs	TRS-ROBO-8L
10mm, 2.2" (5.6cm) diameter, 5.5" (14.0cm) bag length, 175ml vol., 5/cs	TRS100SB2
10mm, 3.0" (7.6cm) diameter, 5.5" (14.0cm) bag length, 250ml vol., 5/cs	TRS100SB2L
12mm, 3.0" (7.6cm) diameter, 5.5" (14.0cm) bag length, 250ml vol., 5/cs	TRS-ROBO-12
15mm, 5.5" (14.0cm) diameter, 9.9" (25.4cm) bag length, 1200ml vol., 3/cs	TRS-VATS-15
15mm, 5.5" (14.0cm) diameter, 9.9" (25.4cm) bag length, 1200ml vol., 3/cs	TRS175SB2
15mm, 6.0" (5.1cm) diameter, 10.4" (26.5cm) bag length, 1800ml vol., 3/cs	TRS190SB2
25mm, 6.5" (16.5cm) diameter, 15.0" (38.1cm) bag length, 6000ml vol., 3/cs	TRS-TV-25

Bag Alone

10mm, 2.2" (5.6cm) diameter, 5.5" (14.0cm) bag length, 175ml vol., 10/cs	TRS070
10mm, 3.5" (8.9cm) diameter, 5.5" (14.0cm) bag length, 250ml vol., 10/cs	TRS080
15mm, 5.5" (14.0cm) diameter, 9.9" (25.4cm) bag length, 1200ml vol., 5/cs	TRS090



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Disposable Laparoscopic Specimen Bags



Attached Memory Wire Bag

Polymer	
5mm, 3" (7.6cm) diameter, 4" (10.2cm) length, 120ml vol., 10/cs	SB534
10mm, 3" (7.6cm) diameter, 6" (15.24cm) length, 330ml vol., 5/cs	SB936
10mm, 5" (12.7cm) diameter, 7" (17.7cm) length, 750ml vol., 5/cs	SB957
12mm, 7.5" (19.1cm) diameter, 9" (22.9cm) length, 1800ml vol., 5/cs	SB979
Nylon	
10mm, 3" (7.6cm) diameter, 6" (15.2cm) length, 240ml vol., 5/cs	SB1036
12mm, 7.5" (19.1cm) diameter, 9" (22.9cm) length, 1800ml vol., 5/cs	SB1079

Independent Memory Wire Bag

Polymer	
10mm, 3" (7.6cm) diameter, 6" (15.2cm) length, 200ml vol., 10/cs	SB836
10mm, 5" (12.7cm) diameter, 7" (17.7cm) length, 750ml vol., 10/cs	SB857



ACCESS

SMOKE

ENERGY

INSTRUMENTS

Specialty Products



Puncture Closure Device (Trocar Wound Closure)

10mm, single-use, sterile,
Cannula 10-12mm, 10/case

PCD-10



Kittner Blunt Dissectors

Single tip Kittner, 5mm x 40cm, single
use, sterile, 5/cs

CD801

Aspiration Needle

Aspiration Injection Needle, 5mm x
40cm, 16GA, 5/cs

CD950



ACCESS

SMOKE

ENERGY

INSTRUMENTS